



TR 15 BS CFC
PATENT
32638/WPC/A97

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE
SEP 03 2001
OF CORRECTION

U.S. Patent No. : 6,063,563 ✓
Issued : May 16, 2000
Inventor(s) : Lorraine B. Peddada; Charles M. Heldebrant;
Andrew J. Conrad
Application No. : 09/081,926
Filed : May 20, 1998
Title : METHOD OF PCR TESTING OF POOLED BLOOD SAMPLES

REQUEST FOR CERTIFICATE OF CORRECTION

Office of Certificates of Correction
Assistant Commissioner for Patents
Washington, D.C. 20231

P.O. Box 7068
Pasadena, CA 91109-7068
August 31, 2001

Commissioner:

Submitted herewith are two copies of a proposed Certificate of Correction for the above-referenced patent. The errors are identified in detail in the proposed certificate, and the corresponding text in the application is located as follows:

<u>Location in Patent</u>	<u>Location in Application</u>
<u>PTO errors:</u>	
Abstract, line 13	Page 38, line 17
Column 28, line 47	Amendment July 13, 1999, page 2, old claim 12, line 9
<u>Applicant errors:</u>	
Drawings, Sheet 15, FIG. 13	Drawings, Sheet 15, FIG. 13
Column 29, line 62	Preliminary Amendment May 20, 1998, page 6, old claim 20, line 6

Applicant(s) errors were unintentional and inadvertent, and were made in good faith through oversight. Correction is accordingly requested under 35 U.S.C. § 255, and our check for the \$100 statutory fee is enclosed. Any deficiency or overpayment should be charged or

U.S. Patent No. 6,063,563

credited to Deposit Account No. 03-1728. Please show our docket number with any credit or charge to our Deposit Account.

Correction of applicant(s) errors does not constitute new matter or require reexamination. Approval of this certificate is respectfully requested.

Respectfully submitted,

CHRISTIE, PARKER & HALE

By William P. Christie
William P. Christie
Reg. No. 29,371
626/795-9900

WPC/nk

Enclosures: Certificate of Correction (2)

Check \$100

K:\PROOFING\01-CertificateCorrection\32638 ReqFee.wpd

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,063,563

Page 1 of 1

DATED : May 16, 2000

INVENTOR(S) : Lorraine B. Peddada; Charles M. Heldebrant; Andrew J. Conrad

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Abstract, line 13, after "such as PCR" insert a period.

Drawings, Sheet 15, FIG. 13, in boxes 303a, 303b, and 303c replace

"IDENIFIED BY" with -- IDENTIFIED BY -- (three occurrences).

Column 28, line 47, replace "and g subpools" with -- and s subpools --.


Column 29, line 62, change "samples" to -- sample --.

MAILING ADDRESS OF SENDER:

CHRISTIE, PARKER & HALE
Post Office Box 7068
Pasadena, CA 91109-7068

PATENT NO. 6,063,563

No. of add'l copies
@ 50¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,063,563

Page 1 of 1

DATED : May 16, 2000

INVENTOR(S) : Lorraine B. Peddada; Charles M. Heldebrant; Andrew J. Conrad

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Abstract, line 13, after "such as PCR" insert a period.

Drawings, Sheet 15, FIG. 13, in boxes 303a, 303b, and 303c replace

"IDENIFIED BY" with -- IDENTIFIED BY -- (three occurrences).

Column 28, line 47, replace "and g subpools" with -- and s subpools --.


Column 29, line 62, change "samples" to -- sample --.

MAILING ADDRESS OF SENDER:

CHRISTIE, PARKER & HALE
Post Office Box 7068
Pasadena, CA 91109-7068

PATENT NO. 6,063,563

No. of add'l copies
@ 50¢ per page



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,063,563
DATED : May 16, 2000
INVENTOR(S) : Lorraine B. Peddada; Charles M. Heldebrant; Andrew J. Conrad

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page.

ABSTRACT, line 13, after "such as PCR" insert a period.

Drawings.

Sheet 15, Fig. 13, in boxes 303a, 303b, and 303c replace "IDENTIFIED BY" with -- IDENTIFIED BY -- (three occurrences).

Column 28.

Line 47, replace "and g subpools" with -- and s subpools --.

Column 29.

Line 62, change "samples" to -- sample --.

Signed and Sealed this

Twenty sixth Day of February, 2002

Attest:

A handwritten signature in black ink, appearing to read "James E. Rogan", with a long horizontal stroke underneath.

Attesting Officer

JAMES E. ROGAN
Director of the United States Patent and Trademark Office